

# NL450C

**Compost  
Spreader**



**NEW LEADER**

# NL450C Comp

Your compost spreading solution.

# NL450C

Versatile • Innovative • Profitable

**NEW LEADER**

The NL450C compost spreader broadcasts material farther, wider, and more consistently than any other applicator.


- Higher payload capacity and greater material output.
- Precise record-keeping of environmental material applications.
- Get the job done more accurately in less time.

The New Leader NL450C is the best built and most versatile compost spreader in the industry. Its superior features allow you to cover more ground in less time-while maintaining an accurate spread pattern-to make your business more profitable than ever.



The extra wide 34" (86cm) conveyor and 50° side slopes provide better flow of material and increased output, and the 118" (300cm) wide body increases payload capacity for heavy spreading needs. The corrosion-resistant stainless steel conveyor floor prevents material build-up under the conveyor, providing longer service life to the overall conveyor system.

The NL450C comes standard with a hydraulic oil cooler to keep oil temperature low ensuring peak performance and increased component life.



The NL450C also features dual 30" (76cm) spinners and tandem hydraulic system to broadcast material faster and farther, and minimize time in the field. Compared to the average compost spreader, spinner power is increased by up to 50% and application rates are increased up to 33% or more.

The NL450C material divider ensures a uniform spread pattern by directing material off of the conveyor onto the spinner discs.



The hydraulically-controlled feedgate allows adjustments from the comfort of the cab.

\*Tractor must meet brake specifications. Contact dealer or factory for more information.

**Higher payload capacity and greater material output.**

# Compost Spreader

<b>Features:</b>	<b>Benefits:</b>
34" (86cm) wide conveyor	More output; better flow of material.
118" (300cm) wide body	Increased payload capacity.
50° side slopes	Smooth product output with less material bridging.
Large 30" (76cm) spinners	Spreads material faster and farther, minimizing time in the field.
Tandem hydraulic pumps	Increased spinner power up to 50% and application rates up to 33%.
#1 chain with .5" X 1.5" (1cm x 4cm) crossbars (standard) #2 & #3 conveyor chain (optional)	Moves material through the box quickly to ensure consistent application.
Stainless steel conveyor floor	Corrosion-resistant and reduces friction, allowing product to flow smoothly; prevents material buildup to eliminate premature conveyor failure.
Straight rear endgate set farther into the body	Prevents free flow of material when loading hopper and when conveyor is stopped.
Hydraulically-controlled feedgate	Adjust the feedgate from the comfort of the cab.
Feedgate sight gauge	Monitor the feedgate opening from the cab.



*NOTE: The L5034G4 compost spreader is not designed to spread fertilizer or lime.*



*The NL450C is available in painted carbon steel and un-painted 304 stainless steel.*

**Your compost spreading solution.**

# NL450C Specifications



NOTE:  
SOME PARTS REMOVED  
FOR CLARITY.

## Dimensions and Capacities

Length (m)	Struck Capacity		Approx. Shipping Weight
	Cu Yd	(Cu M) Cu Ft	
16' (4.88)	16.7 (12.7)	450	21,000 lbs (9,525 kg)

**Highway Equipment Company**  
**1330 76th Ave. SW • Cedar Rapids, IA 52404-7052**  
**Phone: 319/363-8281 or 800/363-1771**  
**FAX: 319/286-3351 or 800/363-8267**  
**www.HighwayEquipment.com**



Two-year warranty applies to products registered within thirty days of purchase. Highway Equipment Company reserves the right to change products, specifications and design without notice. Photos and illustrations may or may not include optional equipment. John Deere and the John Deere green and yellow trade dress are the trademarks of Deere & Company.

New Leader is a trademark of Highway Equipment Company.

Copyright© 2013 Highway Equipment Company – Form No. NL101-2013-11